



8CH POE NETWORK RECORDER

INTNVR108E



KEY FEATURES

- Up to 8ch IP cameras access
- Up to 5MP resolution recording
- 1 SATA hard disk up to 8TB
- 1 RJ45 10M/100M network interface
- 8ch POE ports
- Smart search & playback
- Support cloud upgrade



IntelLink App

Free App provided, support remote viewing on iOS or Android™



FIRE • SECURITY • INTERCOMS

17 Millicent Street, Burwood, VIC 3125 Australia
Tel: 1300 PSA PRODUCTS (1300 772 776)
Fax: (03) 9888 9993
enquiry@psaproducts.com.au

psaproducts.com.au







SPECIFICATIONS

Model		INTNVR108E
Video Input	IP Camera Input	8 Channel
	Incoming Bandwidth	60 Mbps
	Outgoing Bandwidth	60 Mbps
Video Output	HDMI Output	1920×1080, 1440×900, 1280×1024
	VGA Output	1920×1080, 1440×900, 1280×1024
	Decoding Capacity	1ch 5MP, 4ch 1080P, 8ch D1@30fps
	Dual Stream	Support
	Multi-screen Display	1/4/8/9
Recording	Resolution	5MP, 4MP, 3MP, 1080P, 720P, D1 etc.
	Recording Mode	Manual, Schedule (Regular, Continuous), Event
	Trigger Events	Motion Detection, Video Loss, Alarm in, IVS
Playback and Backup	Sync Playback	9/4/1
	Search Mode	Time /Date, Alarm, Picture grid, Event
	Backup Mode	USB Device, Network
Network	Interface	1 RJ-45 port (10/100 Mbps)
	PoE	8 Ports (IEEE 802.3af), 48W
	Network Function	HTTP, HTTPS, TCP/IP, IPv4, UPnP, UDP, RTSP, SMTP, NTP, DNS, DHCP, P2P, IP Filter, DDNS, 802.1X, SNMP, 3G/4G, PPPoE
	Remote Users	8 users
	Smart Phone	iPhone, iPad, Android
	Interoperability	ONVIF, SDK, CGI
	Storage	HDD
	Cloud Storage	Support
Interface	Audio I/O	1ch Audio output
	Alarm Input	N/A
	Alarm Output	N/A
	USB	2 ports (USB 2.0 × 2)
General	Power Supply	DC48V/1.35A
	Power Consumption	< 5 W (without HDD)
	Operating Conditions	-10 °C - 50 °C (14 °F - 122 °F)
	Storage Conditions	Less than 90% RH
	Certifications	CE/FCC
	Dimensions	255 × 237 × 47.5 mm (10.04 × 9.33 × 1.87 inch)
	Net Weight	1 kg (2.2 lb) without HDD



DIMENSIONS



REAR PANEL



FIRE • SECURITY • INTERCOMS